

# LED GLS

## LED 6.6W Opal GLS - BC - 2700K

**Part Code: 60534**

The most cost-effective way of upgrading inefficient lighting. The foundation of LED Lighting (the SMD Candle, Round & GLS) are lamps that the market has become heavily reliant on over the past 10 years. Our LED GLS comes in 4 different wattage options, Clear & Opal with Warm White, Cool White or Daylight output.

- Direct size replacement for Standard GLS
- Suitable for fiterated fixtures
- 30000 hours
- Opal finish with warm white or cool white output
- The range offers four different wattage options



**5 Year**  
Guarantee



**30,000**  
Life Hours



**85**  
Colour Rendering Index



**240**  
Volts



# LED GLS



<b>Product Category</b>	Lamps / LED
<b>Application</b>	LED GLS Lamps
<b>Product Warranty</b>	5 Years
<b>EAN</b>	5013588605340
<b>Commodity Code</b>	8539520000
<b>Country of Origin</b>	CN

## Technical Specification

Watts (W)	6.6
Equivalent Watts (W)	60
Volts (V)	240
Colour Temp (K)	2700
Lumens (lm)	810
Lumens per Watt (lm/W)	123
CRI (ra)	85
Frequency (Hz)	50/60
LED Drive Current	25mA
Energy Consumption (kWh/1000h)	6.6
Life Hours	30000
Switching Cycles	15000
Energy Rating	E

## Packaging Information

Height (mm)	113
Diameter (mm)	58
Individual Product Weight (kg)	0.039
Single Carton Height (mm)	115
Single Carton Width (mm)	62
Single Carton Depth (mm)	62
Single Carton Weight (kg)	0.058
Individual Volume	0.00044
Inner Box Qty	10
Inner Carton Barcode	6053400000010
Inner Box Height (mm)	130
Inner Box Width (mm)	134
Inner Box Depth (mm)	325
Inner Box Weight (kg)	0.68364
Inner Box Volume	0.00566
Outer Box Qty	50
Outer Carton Barcode	6053400000050
Outer Box Height (mm)	145
Outer Box Width (mm)	335
Outer Box Depth (mm)	695
Outer Box Weight (kg)	3.80048
Outer Box Volume	0.03376

# LED GLS

## Additional Information

Beam Angle	180°
Flicker (SVM)	<0.4
Power Factor	0.5
Cap	BC