# LED Halo GU10

## Halo Elite 5W LED Dimmable GU10 - 3000K

## Part Code: 60621

The Halo Elite GU10 combines the tried and tested technology of the Halo GU10 with a high lumen output. Ideal for illuminating spaces at a higher lux level while not breaking the bank.

- High output GU10
- Energy saving benefits of LED
- Improved efficiency up to 90 Lm/W
- Rimless lens for improved aesthetics
- Suitable for fire rated and IP rated fixtures

**3 Year** Guarantee

**Long** Life Hours

**38° / 60°** Beam Angle Options

**Multiple** Colour Temperature Options

**Email:** technical@belllighting.co.uk
**Telephone:** 01924 893380

**www.belllighting.co.uk**

The information shown above was correct at time of publication. Please refer to our Terms & Conditions of Sale for further detail.

# LED Halo GU10



| Product Category | Lamps / LED |
|---|---|
| Application | LED GU10 Lamps |
| Product Warranty | 3 Years |
| EAN | 5013588606217 |
| Commodity Code | 8539520000 |
| Country of Origin | CN |

| Technical Specification | |
|---|---|
| Watts (W) | 5 |
| Volts (V) | 240 |
| Colour Temp (K) | 3000 |
| Lumens (lm) | 500 |
| Lumens per Watt (lm/W) | 100 |
| Candelas (cd) | 750 |
| CRI (ra) | 80 |
| Frequency (Hz) | 50/60 |
| Energy Consumption (kWh/1000h) | 5 |
| Life Hours | 25000 |
| Switching Cycles | 12500 |
| Energy Rating | F |

| Packaging Information | |
|---|---|
| Height (mm) | 56 |
| Diameter (mm) | 50 |
| Individual Product Weight (kg) | 0.02 |
| Single Carton Height (mm) | 58 |
| Single Carton Width (mm) | 52 |
| Single Carton Depth (mm) | 52 |
| Single Carton Weight (kg) | 0.049 |
| Individual Volume | 0.00016 |
| Inner Box Qty | 10 |
| Inner Carton Barcode | 6062100000010 |
| Inner Box Height (mm) | 70 |
| Inner Box Width (mm) | 265 |
| Inner Box Depth (mm) | 110 |
| Inner Box Weight (kg) | 0.546 |
| Inner Box Volume | 0.00204 |
| Outer Box Qty | 100 |
| Outer Carton Barcode | 6062100000100 |
| Outer Box Height (mm) | 160 |
| Outer Box Width (mm) | 580 |
| Outer Box Depth (mm) | 280 |
| Outer Box Weight (kg) | 4.26 |
| Outer Box Volume | 0.02598 |

# LED Halo GU10

| Additional Information | |
|---|---|
| **Beam Angle** | 38° |
| **Cap** | GU10 |