

#### **LED**

### Filament GLS

#### LED 3.3W Clear Filament GLS - BC - 2700K

Part Code: 60749

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- · Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life
- Full glass envelope





85 Colour Rendering Index



3 Year



15,000



80 Lumens Maintenance Ratio



**Email:** technical@belllighting.co.uk **Telephone:** 01924 893380



# **LED**

## Filament GLS



Product Category	Lamps / LED
Application	LED Filament GLS
Product Warranty	3 Years
EAN	5013588607498
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	3.3	
Equivalent Watts (W)	40	
Volts (V)	240	
Colour Temp (K)	2700	
Lumens (lm)	470	
Lumens per Watt (lm/W)	143	
CRI (ra)	85	
Frequency (Hz)	50/60	
LED Drive Current	22mA	
Energy Consumption (kWh/1000h)	4	
Life Hours	15000	
Switching Cycles	8000	
Energy Rating	Е	

Packaging Information		
Height (mm)	102	
Diameter (mm)	60	
Individual Product Weight (kg)	0.033	
Single Carton Height (mm)	125	
Single Carton Width (mm)	65	
Single Carton Depth (mm)	65	
Single Carton Weight (kg)	0.052	
Individual Volume	0.00053	
Inner Box Qty	10	
Inner Carton Barcode	607490000010	
Inner Box Height (mm)	140	
Inner Box Width (mm)	340	
Inner Box Depth (mm)	140	
Inner Box Weight (kg)	0.65	
Inner Box Volume	0.00666	
Outer Box Qty	100	
Outer Carton Barcode	6074900000100	
Outer Box Height (mm)	290	
Outer Box Width (mm)	730	
Outer Box Depth (mm)	360	
Outer Box Weight (kg)	6.83	
Outer Box Volume	0.07621	

**Email:** technical@belllighting.co.uk **Telephone:** 01924 893380



## **LED**

# Filament GLS

Additional Information		
Beam Angle	300°	
Сар	BC	

**Email:** technical@belllighting.co.uk **Telephone:** 01924 893380