

## **Technical Specification**

Product Code: CMA1835 **Description:** 13A 1 Gang Double Pole Switched Safety Shutter Socket Outlet With





## **General Information**

Plate Dimensions (mm) 86 (W) x 86 (H) x 9.5 (D)

Plate Fixing Centres - Horizontal (mm) 60.3

> Rounded Profile Style Finish Polar White

Materials Front Plate & Rocker Switch: Urea

Neon Lens: Polycarbonate Terminal Screws: Steel & Yellow Passivated

Internal Busbars: Formed Pressed Brass

Rear Housing: Urea Terminals: Brass

Contacts: Silver "on-lay" Copper / Brass

Earth Strap: Mild Steel

Terminal Torque Value (Nm) 2

Frequency (Hz) 50

Indicator Colour Orange

Anti Microbial Certified

Rated Voltage (V~) (Ue) 250

Resistive Load Rating (A) 13

Termination Type Screw

Terminal Size (mm) 05

Terminal Capacity - Solid (mm²) 3 x 2.5 or 2 x 4

> Double Pole Switch 3 Pin Safety Shuttered Yes Twin Earth Terminals No

> > Neon Indicator Yes

Minimum Back Box Depth (mm)

Ingress Protection IP20

Operational Temperature (°C) -5 to +40

Warranty (Years) 20

Standards BS 1363-2

## Additional Information

For cleaning / polishing of products, use only a soft, dry, clean cloth.

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal. All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases as well as anti-viral properties against enveloped and non-enveloped viruses.

All products have been independently tested with 99.9% of enveloped viruses and 92% of nonenveloped viruses killed off whilst achieving a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

The safety shutter will only fully open when all three BS 1363 plug-top pins engage correctly with the shutter. Inserting the earth pin alone will not open the live and neutral shutter like conventional socket shutters.



