



## **Technical Specification**

Product Code: CMA770

Description: 13A 2 Gang Switched Socket Outlet With Single 2.1A USB Outlet



## General InformationPlate Dimensions (mm)146 (W) × 86 (H) × 9.5 (D)ixing Centres - Horizontal (mm)120.6

Plate Fixing Centres - Horizontal (mm) Style	120.6 Rounded Profile			
Finish Materials	Polar White Front Plate & Rocker Switch: Urea Terminals: Brass Contacts: Silver "on-lay" Copper / Brass PCB: Mixed Components	Terminal Screws: Ste Internal Busbars: Fo	Rear Housing: Nylon Terminal Screws: Steel & Yellow Passivated Internal Busbars: Formed Pressed Brass Earth Strap: Mild Steel	
Anti Microbial Certified	Yes		50	
Rated Voltage (V~) (Ue) Resistive Load Rating (A)	250 13	Frequency (Hz)	50	
USB Output Type	USB Type "A"			
USB Number Of Outputs		harging Total Load (A)	2.1	
USB Charging Voltage (V DC)		Standby Current (mA)	2	
Termination Type	Screw			
Terminal Size (mm)		nal Torque Value (Nm)	1.2	
Terminal Capacity - Solid (mm <sup>2</sup> )				
Single Pole Switched	Yes			
Twin Earth Terminals	Yes			
Product Marking	USB 5V 2.1A			
Minimum Back Box Depth (mm)	25			
Ingress Protection	IP20			
Operational Temperature (°C) Warranty (Years)	-5 to +40 10 Warrant	y - Electronics (Years)	1	
		y - Liectionics (Tears)	I	
BS EN I	3-2: 2016 +A1: 2018 EC 62368-1 i2680-1-1			
The USI Ensure diagram Bare ea All white properti	For cleaning / polishing of products, use only a soft, dry, clean cloth. The USB circuits within this socket outlet are designed to withstand insulation resistance tests at 500V. Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product. Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal. All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases as well as anti-viral properties against enveloped and non-enveloped viruses.			

properties against enveloped and non-enveloped viruses. All products have been independently tested with 99.9% of enveloped viruses and 92% of nonenveloped viruses killed off whilst achieving a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

Scolmore House, Mariner, Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7UL United Kingdom T: +44 (0)1827 63454 | F: +44 (0)1827 63362 E: sales@scolmore.com | W: scolmore.com

## Page 1 of 1 (14/09/22) Errors & Omissions excluded. Specification is subject to change without notice.