

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

DARIO

MEDIUM SIZE



E27 square lantern in modern revival style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as optional with TÜV-CB certified, long-life and efficient LED lamps suitable for outdoor use. Insulation class II, protection rating IP55.

Lanterna quadra E27 in stile revival moderno, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita anche completa di lampadine LED adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.

6,5W 800 lm	8,5W 920 lm	11W 1200 lm	
2700 K	2700 K	4000 K	6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT	
INDOOR & OUTDOOR USE			



T24.116.V1K

MADE IN ITALY



DARIO - LANTERN COMPONENTS



Decorative **PINNACLE** provided with silicone rubber gasket to be mounted on the roof top for post installation or on the lantern base for hanging installation.

PINNACOLO decorativo completo di guarnizione in gomma siliconica applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).

Lantern **ROOF** made of shockproof resin material, UV rays stabilized and supplied with E27 lampholder. Tool-free opening for relamping and maintenance.

TETTO realizzato in resina antiurto, stabilizzata ai raggi UV, fornito completo di portalamпада E27. Rimovibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina.

DIFFUSER made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and provided with recess for power cable supply. Made of one piece only and closed at the bottom to ensure high protection against external agents (IP 55).

DIFFUSORE in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e provvisto di scanalatura per il passaggio del cavo di alimentazione. Realizzato in un pezzo unico e con fondo chiuso per garantire un alto livello di protezione contro gli agenti esterni (IP 55).


CAGE made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

GABBIA realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.



Dimensions and weight
Height: 240 mm
Width: 240 mm
Depth: 240 mm
Weight: 1,1 Kg

Moulded colours:



Diffuser PMMA:



E27 FILAMENT



E27 CCT SET(*)



100 - 240 V

*ADD SUFFIX

suitable lamps: CFL-LED max 160 mm **E27** lampholder only .E27

LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
FILAMENT LED E27	6,5W	800 lm	2700 K	.F1R
CCT SET LED E27	8,5 W	920 lm	6500 K 4000 K 2700 K	.V1K

6,5W filament = 60W incandescent
8,5W CCT = 60W incandescent
SAVE up to 89%

- perfect **MATCHING WITH DECORATIVE LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY:** 90% ENERGY SAVING.

- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY:** >85% ENERGY SAVING.


LED LAMPS



LVD EMC ERP


Comply with: EU2019/2015
EU2019/2020
Technical details on page 636.

CCT SETTABLE LED LAMP(*)



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambience.

PHOTOMETRIC DATA SAMPLE



DARIO lantern clear with Fumagalli Led Lamp CCT set 8,5W.
POST height 2mt
6x6mt area: average 6 lux

The photometric data for all the versions are available upon request or on our website.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

DARIO

MEDIUM SIZE



MADE IN ITALY



NARDO/DARIO

E27 lampholder	T24.240.E27
6,5W filament	T24.240.F1R
8,5W CCT set	T24.240.V1K

Pcs 12
Kg 15
mc 0,216

MIDIDISMA/DARIO

E27 lampholder	T24.116.E27
6,5W filament	T24.116.F1R
8,5W CCT set	T24.116.V1K

Pcs 12
Kg 14,8
mc 0,21

SICAR/DARIO

E27 lampholder	T24.125.E27
6,5W filament	T24.125.F1R
8,5W CCT set	T24.125.V1K

Pcs 12
Kg 16,9
mc 0,216

DARIO

T24.000

Pcs 1
Kg 1,1
mc 0,016

GIAFFA/DARIO resin

E27 lampholder	T24.242.E27
6,5W filament	T24.242.F1R
8,5W CCT set	T24.242.V1K

Pcs 1
Kg 2,1
mc 0,070

DANILO/DARIO

E27 lampholder	T24.305.E27
6,5W filament	T24.305.F1R
8,5W CCT set	T24.305.V1K

Pcs 1
Kg 8,6
mc 0,148

DINO/DARIO

E27 lampholder	T24.306.E27
6,5W filament	T24.306.F1R
8,5W CCT set	T24.306.V1K

Pcs 1
Kg 9,6
mc 0,143

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

DARIO

MEDIUM SIZE



T24.307.D30.V1K



T24.307.D10.F1R



T24.306.D20.V1K

MADE IN ITALY



DINO NARDO/DARIO 2L

E27 lampholder	T24.306.D20.E27
6,5W filament	T24.306.D20.F1R
8,5W CCT set	T24.306.D20.V1K

Pcs 1
Kg 11,9
mc 0,186

DINO NARDO/DARIO 3L

E27 lampholder	T24.306.D30.E27
6,5W filament	T24.306.D30.F1R
8,5W CCT set	T24.306.D30.V1K

Pcs 1
Kg 12,9
mc 0,186

EMILIO NARDO/DARIO 1L

E27 lampholder	T24.307.D10.E27
6,5W filament	T24.307.D10.F1R
8,5W CCT set	T24.307.D10.V1K

Pcs 1
Kg 11,4
mc 0,212

EMILIO NARDO/DARIO 2L

E27 lampholder	T24.307.D20.E27
6,5W filament	T24.307.D20.F1R
8,5W CCT set	T24.307.D20.V1K

Pcs 1
Kg 12,5
mc 0,212

EMILIO NARDO/DARIO 3L

E27 lampholder	T24.307.D30.E27
6,5W filament	T24.307.D30.F1R
8,5W CCT set	T24.307.D30.V1K

Pcs 1
Kg 13,5
mc 0,212