

COMPANY  
BOLLARDS  
UP&DOWN  
BULKHEAD  
FLOODLIGHT  
IN-GROUND  
BRICKLIGHT  
GARDEN  
URBAN CLASSIC  
URBAN MODERN  
HIGH-BAY  
POST  
LAMPS  
REFERENCES

# GOLIA

MEDIUM SIZE

E27 square lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as optional with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use. Insulation class II, protection rating IP55.

*Lanterna quadra E27 in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita anche completa di lampadine LED a filamento adatte ad uso in ambiente esterno, approvate TÜV, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*



E27 FILAMENT LED

**INDOOR & OUTDOOR USE**

+80°C  
-30°C

90% HUMIDITY

VOLTAGE SURGE RESISTANT

DRIVER SILICONE PROTECTION

Q23.131.M1R






**GOLIA - LANTERN COMPONENTS**

**IP55**



Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

**PINNACOLO** decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).



Lantern **ROOF** made of shockproof resin material, UV rays stabilized and supplied with E27 lampholder. Tool-free opening for relamping and maintenance.

**TETTO** realizzato in resina antiurto, stabilizzata ai raggi UV, fornito completo di portalamпада E27. Rimovibile senza l'ausilio di attrezzi per manutenzione e cambio lampadina.




**DIFFUSER** made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and provided with recess for power cable supply. Made of one piece only and closed at the bottom to ensure high protection against external agents (IP 55).

**DIFFUSORE** in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e provvisto di scanalatura per il passaggio del cavo di alimentazione. Realizzato in un pezzo unico e con fondo chiuso per garantire un alto livello di protezione contro gli agenti esterni (IP 55).

**CAGE** made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

**GABBIA** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.



**Dimensions and weight**

Height: 360 mm  
Width: 230 mm  
Depth: 230 mm  
Weight: 1,3 Kg

**Moulded colours:**

Black White

**Painted colours:**

Antique green Antique bronze

**Diffuser PMMA:**

Clear Opal

**E27 VERSIONS**

\*ADD SUFFIX



E27 (CFL-LED)		max 160 mm		.E27
<p>FILAMENT LED E27</p>	6 W	800 Lm	4000 K	.F1L
			2700 K	.F1R
	8 W	1000 Lm	4000 K	.M1L
			2700 K	.M1R
	12 W	1500 Lm	4000 K	.N1L
			2700 K	.N1R

- PERFECT MATCHING WITH CLASSIC LANTERNS:** clear LED filament lamp with the look and the feeling of a traditional incandescent bulb.
- SUITABLE FOR OUTDOOR USE:** 100-240 V built-in driver fully protected against heat and humidity by silicone paste.
- OMNIDIRECTIONAL LIGHT:** 360° light output for a better lighting distribution on hexagonal and square classic lanterns.
- HIGH EFFICIENCY:** 90% energy saving.


**SAVE 90%**

**LED LAMPS**

More technical details about TÜV approved Fumagalli LED Lamps on page 512.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

**PHOTOMETRIC DATA SAMPLE**



**GOLIA** lantern clear with Fumagalli Filament Led Lamp 8W.

POST height 2mt  
6x6mt area: average 6 lux

The photometric data for all the versions are available upon request or on our website.

# GOLIA

MEDIUM SIZE





**BISSO/GOLIA**

<b>E27</b> lampholder	Q23.131.E27
<b>6W</b> LED	Q23.131.F1R
<b>8W</b> LED	Q23.131.M1R
<b>12W</b> LED	Q23.131.N1R

Pcs 12  
Kg 19  
mc 0,225

300 2700K\*  
300  
450 450

**PORPORA/GOLIA**

<b>E27</b> lampholder	Q23.141.E27
<b>6W</b> LED	Q23.141.F1R
<b>8W</b> LED	Q23.141.M1R
<b>12W</b> LED	Q23.141.N1R

Pcs 1  
Kg 4  
mc 0,034

560 2700K\*  
470

**MINILOT/GOLIA**

<b>E27</b> lampholder	Q23.111.E27
<b>6W</b> LED	Q23.111.F1R
<b>8W</b> LED	Q23.111.M1R
<b>12W</b> LED	Q23.111.N1R

Pcs 12  
Kg 19  
mc 0,225

230 2700K\*  
470  
Ø 150

**GOLIA**

Q23.000

Pcs 1  
Kg 1,3  
mc 0,018

230 360  
Ø 60

**SICHEM/GOLIA**

<b>E27</b> lampholder	Q23.120.E27
<b>6W</b> LED	Q23.120.F1R
<b>8W</b> LED	Q23.120.M1R
<b>12W</b> LED	Q23.120.N1R

Pcs 12  
Kg 19  
mc 0,225

2700K\*

800 230

**MIZAR/GOLIA resin**

<b>E27</b> lampholder	Q23.151.E27
<b>6W</b> LED	Q23.151.F1R
<b>8W</b> LED	Q23.151.M1R
<b>12W</b> LED	Q23.151.N1R

Pcs 1  
Kg 3  
mc 0,07

230 2700K\*  
1100  
Ø 50  
Ø 150

**IAFET/GOLIA resin**

<b>E27</b> lampholder	Q23.162.E27
<b>6W</b> LED	Q23.162.F1R
<b>8W</b> LED	Q23.162.M1R
<b>12W</b> LED	Q23.162.N1R

Pcs 2  
Kg 7,9  
mc 0,086

230 2700K\*  
1050  
Ø 190

\*TO ORDER THE 4000K VERSION, USE THE SUFFIXES .F1L(6W) .M1L (8W) .N1L (12W)

**ALOE'R/GOLIA resin**

<b>E27</b> lampholder	Q23.163.E27
<b>6W</b> LED	Q23.163.F1R
<b>8W</b> LED	Q23.163.M1R
<b>12W</b> LED	Q23.163.N1R

Pcs 2  
Kg 8,6  
mc 0,121

2700K\*

230 1450  
Ø 190

**ARTU'/GOLIA**

<b>E27</b> lampholder	Q23.158.E27
<b>6W</b> LED	Q23.158.F1R
<b>8W</b> LED	Q23.158.M1R
<b>12W</b> LED	Q23.158.N1R

Pcs 1  
Kg 9,6  
mc 0,148

230 2700K\*  
1830  
Ø 245

**GIGI/GOLIA**

<b>E27</b> lampholder	Q23.156.E27
<b>6W</b> LED	Q23.156.F1R
<b>8W</b> LED	Q23.156.M1R
<b>12W</b> LED	Q23.156.N1R

Pcs 1  
Kg 10,9  
mc 0,172

230 2700K\*  
2110  
Ø 245


**RICU/GOLIA**

<b>E27</b> lampholder	Q23.157.E27
<b>6W</b> LED	Q23.157.F1R
<b>8W</b> LED	Q23.157.M1R
<b>12W</b> LED	Q23.157.N1R

Pcs 1  
Kg 11,7  
mc 0,18

230 2700K\*  
2380  
Ø 245

**GOLIA**  
MEDIUM SIZE



Q23.157.S30.M1R



Q23.156.S20.M1R



Q23.151.M1R





**GIGI BISSO/GOLIA 2L**

<b>E27</b> lampholder	Q23.156.S20.E27
<b>6W</b> LED	Q23.156.S20.F1R
<b>8W</b> LED	Q23.156.S20.M1R
<b>12W</b> LED	Q23.156.S20.N1R

Pcs 1  
Kg 13,5  
mc 0,182

**GIGI BISSO/GOLIA 3L**

<b>E27</b> lampholder	Q23.156.S30.E27
<b>6W</b> LED	Q23.156.S30.F1R
<b>8W</b> LED	Q23.156.S30.M1R
<b>12W</b> LED	Q23.156.S30.N1R

Pcs 1  
Kg 14,7  
mc 0,182

**GIGI BISSO/GOLIA 2+1**

<b>E27</b> lampholder	Q23.156.S21.E27
<b>6W</b> LED	Q23.156.S21.F1R
<b>8W</b> LED	Q23.156.S21.M1R
<b>12W</b> LED	Q23.156.S21.N1R

Pcs 1  
Kg 14,7  
mc 0,182

**GIGI BISSO/GOLIA 3+1**

<b>E27</b> lampholder	Q23.156.S31.E27
<b>6W</b> LED	Q23.156.S31.F1R
<b>8W</b> LED	Q23.156.S31.M1R
<b>12W</b> LED	Q23.156.S31.N1R

Pcs 1  
Kg 16  
mc 0,182

**RICU BISSO/GOLIA 2L**

<b>E27</b> lampholder	Q23.157.S20.E27
<b>6W</b> LED	Q23.157.S20.F1R
<b>8W</b> LED	Q23.157.S20.M1R
<b>12W</b> LED	Q23.157.S20.N1R

Pcs 1  
Kg 14,2  
mc 0,214

**RICU BISSO/GOLIA 3L**

<b>E27</b> lampholder	Q23.157.S30.E27
<b>6W</b> LED	Q23.157.S30.F1R
<b>8W</b> LED	Q23.157.S30.M1R
<b>12W</b> LED	Q23.157.S30.N1R

Pcs 1  
Kg 15,2  
mc 0,214

**RICU BISSO/GOLIA 2+1**

<b>E27</b> lampholder	Q23.157.S21.E27
<b>6W</b> LED	Q23.157.S21.F1R
<b>8W</b> LED	Q23.157.S21.M1R
<b>12W</b> LED	Q23.157.S21.N1R

Pcs 1  
Kg 15,2  
mc 0,214

**RICU BISSO/GOLIA 3+1**

<b>E27</b> lampholder	Q23.157.S31.E27
<b>6W</b> LED	Q23.157.S31.F1R
<b>8W</b> LED	Q23.157.S31.M1R
<b>12W</b> LED	Q23.157.S31.N1R

Pcs 1  
Kg 16,5  
mc 0,214